

**TASKalfa Pro 15000c**

**High Speed Inkjet Printer**

**146 ppm for Letter Simplex**

**600 x 600 dpi Resolution**

**14,310 Sheets Max. Paper Capacity**



# TASKalfa Pro 15000c

Compact Production Inkjet



[kyoceradocumentsolutions.us](http://kyoceradocumentsolutions.us)

# A revolution in high-speed printing

The Kyocera TASKalfa Pro 15000c breaks new ground by merging productivity with affordability in a high-speed, sheet-fed inkjet production printer. It offers a cost-effective digital solution for transactional, trans-promotional and direct mail applications, with additional capacity for specialty media needs. Built for reliability, versatility, and speed, the TASKalfa Pro features Kyocera's industry-leading printhead technology and boasts outstanding reliability, media and application versatility, and high speeds. It represents the perfect fit for the demands of the production printing marketplace. The Pro Series is designed to provide a strong return on investment and drive business growth with ease of operation, minimal maintenance, and a dedicated support team to help you along the way.



## High productivity and high personalization

With a speed of 146 full color letter pages per minute and the ability to replenish inks while printing, the TASKalfa Pro 15000c can bring a new level of productivity to your business. The ability to offer variable data and messaging allows for more effective, personalized communications and stronger bottom line results.



## Superb image quality

Utilizing Kyocera's outstanding printhead technology, the TASKalfa Pro Series delivers 600 x 600 dpi resolution for outstanding color reproduction, sharp fine lines and text, and smooth gradients. Our proprietary aqueous pigment inks deliver a strong color gamut and color consistency that meet GRACoL 2013 uncoated standards and rigid expectations of the production print market.



## A wide range of media handling

From uncoated to inkjet treated to inkjet coated, the TASKalfa Pro can handle a wider range of applications from Transactional and Transpromo to Direct Mail, Books, Catalogs, and more. The embedded media library provides quick access to many popular papers and their associated color profiles with scope for additional media profiles. Paper sizes up to 13" x 19.2" and weights up to 12 point or 360 gsm can be loaded into the large capacity input trays for non-stop operation, while an oversize media tray can be added for applications that require longer sheets up to 48".



## Top technology

Drive your business forward with the TASKalfa Pro, the device that combines the very best of Kyocera technology. Our long-life and low maintenance printheads have added remarkable reliability, media versatility and high speeds to workflows across a wealth of industries. We have also leveraged our expertise in ceramics to implement a low-energy ceramic drying system, while our standard 120V wall outlet power further helps keep energy usage to a minimum. Customers can further control costs with Kyocera's embedded ink calculation tool for predictable ink usage and invaluable job cost estimation.

# TASKalfa Pro 15000c inkjet production printer

## Business growth made easier

Everything about this system is straight-forward and simple to use. You'll immediately notice its compact footprint and streamlined design. Plus, printing and maintenance costs are lower compared to toner technology, while still offering higher print capacities.



- 1 PF-9100 Vacuum Feed Media Tray**  
The equipped vacuum feed air pick system lifts and separates paper using air flow from the sides and front to ensure reliable feeding of papers up to 360 gsm.



- 6 DE-9100 Inverter and Decurler Kit**  
Required when configuring systems with the mainframe and optional output accessories. It dries the media, reducing curling and ensuring consistent output.



- 2 AK-9130 Bridge Kit for Media Feeder**  
Required when configuring a system with 2 Media Feeders.



- 7 ST-9100 5000-sheet Stacker**  
The roll-away cart neatly and easily transports finished prints and configurations with up to two connected units available.



- 3 PF-9110 550-sheet Multipurpose Tray Kit**  
Large sheet capacity which supports a range of media sizes, including oversized.



- 8 AK-9120 Bridge Kit for Stacker to Finisher**  
Required when configuring a system with a 5000-sheet Stacker or 4000-sheet Finisher.



- 4 AK-9110 Bridge Kit for Main Unit to Media Feeder**  
Required when configuring a system with a Media Feeder.



- 9 DF-9100 4000-sheet Finisher**



- 5 Status Indicator Light**  
The optional status indicator light provides diagnostics via green, yellow and red LED lights that are highly visible from a distance.

- 10 Folding Kit**  
Optional Finisher module enables inline finishing.
- 11 Hole Punch Kit**  
Optional Finisher module enables 2 or 3-hole punching.

\* Not pictured, IF-9100 3L Ink Feeding System



## Fast, high-quality output to enhance your image

TASKalfa Pro 15000c output speeds are among the fastest for products in this range (146 ppm for Letter), with no speed reduction on heavy media. With additional high-capacity stackers and vacuum paper feeders, you can configure the system to reach a paper capacity of up to 14,310 sheets. A print resolution of 600 x 600 dpi ensures stable image quality, while accurate front-to-back registration delivers consistent image positioning on every page.

- Large-capacity feed trays enable reliable transport of your media.
- Robust, durable design ensures reliable performance in demanding environments.
- High-quality components include the Kyocera time-proven inkjet heads.



## Reliable throughput with lower costs

From healthcare and education to finance, marketing, postal services and government departments, the TASKalfa Pro 15000c expertly handles high volumes and critical processes. It enables predictable workflows for a wide range of markets. Quick, reliable performance is combined with a sector-leading carbon footprint to optimize your productivity.

- The TASKalfa Pro 15000c holds numerous international energy certifications.
- Remote servicing and preventive maintenance optimize uptime.



## Efficient input for new heights in productivity

The TASKalfa Pro 15000c was developed for high-volume printing with exceptional turnaround time. The Fiery® controller manages the print queue efficiently, and takes care of more complex workflows.

- Operation is simple with an intuitive touch-panel interface.
- Most maintenance and fine adjustment can be done by the user.

## The technology and flexibility to support the evolving commercial print market



# TASKalfa Pro 15000c

## BASIC SPECIFICATIONS

**Configuration:** High Speed Sheeffed Color Inkjet Press

**Speed:** Letter: 146 ppm, Legal: 98 ppm, 11"x17": 86 ppm, 12" x 18": 74 ppm

**Resolution:** 600 x 600 dpi; 600 x 1200 dpi

**Duplex:** Standard Stackless Duplex Supports Statement (5.5" x 8.5") to 12" x 18" (60 - 300gsm)

**Standard Output Tray:** Statement – 13" x 19.2" / 500 sheets

**Typical Electricity Consumption (TEC):**

120V: 7.5 kWh/week

220V: 7.5 kWh/week

**Dimensions:** 38" W x 29" D x 48" H

**Weight:** 679 lbs.

## MEDIA SUPPLY

**Standard Media Sources:** Dual 500 Sheet Trays, Dual 1,500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

**Optional Media Sources:** Dual 2,440 Sheet (PF-9100) Max 2 Units 550 Sheet Multi-Media Paper Feeder (PF-9110)

**Media Capacity:** Standard: 4,150 Sheets; Maximum 14,310 Sheets

**Media Size:** Trays: 5.5" x 8.5" – 12" x 18" (Statement to 12" x 18") MPT: A6/5.5" x 8.5" – 13" x 19.2"

**\*Media Weight:**

Trays: Max 360gsm

MPT: Max 300gsm

**Input Materials:** Plain, II Plain, II Matte, Thick, Postcard, Tab, Oversize Media, II Media

## PRINT SPECIFICATIONS

**Standard Controller:** QorIQ T1042 (Quad Core) / 1.2GHz

**PDLs / Emulations:** PCL6 (PCL-XL / PCL5c), KPDL3 (PS3), PDF, OpenXPS, XPS, PPML

**Print Resolution:** Up to 600 x 1200 dpi

\*Some paper that falls within the limits of the stated specification may not always provide the best results. Factors such as smoothness, dust, stiffness, and grain can all have an impact on feed and image quality. Please test a small run of paper you plan to use to confirm compatibility before purchasing a large quantity.

## DOCUMENT PROCESSOR

**Type / Capacity:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** 5.5" x 8.5" – A3/11" x 17"

**Acceptable Weights:**

Simplex: 35 – 220gsm

Duplex: 50 – 220gsm

## 3L INK FEEDING SYSTEM IF-9100

**Dimensions:** 36.6" W x 22.6" D x 22.8" H

**Weight:** 119lbs.

**Power Consumption:** 642 W

\*Requires 3L Ink Cartridges

## OPTIONAL CONTROLLER

### FIERY CONTROLLER PRINTING SYSTEM 50

**Fiery System Version:** Fiery FS300 Pro

**Configuration:** External

**Memory:** 16GB (8GB x 2)

**CPU:** Intel Xeon E5-2637 (3.5 GHz up to 3.7 GHz with turbo)

**HDD:** 500GB + 2 x 2 TB

## OUTPUT & FINISHING OPTIONS

### 4,000 SHEET FINISHER DF-9100

**Strack Capacity:** Main Tray (A): 4,000 Sheets;

Sub Tray (B): 200 Sheets

**Staple Capacity:** 100 Sheet: A4, B5, Letter

**Paper Size:** A6/5.5" x 8.5" – 13" x 19.2"

**Paper Weight:** Max 360gsm

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Dimensions / Weight:** 29.5" W x 27" D x 43.6" H / 114 lbs.

**Optional Booklet Folder:** BF-9100 Booklet Folder Supports 13" x 19.2", 12" x 18", SRA3, A3, B4, A4R, 11" x 17", 8.5" x 14", 8.5" x 11"

**Booklet Staple Supports:** 20 Sheet A3, B4, A4R, 11" x 17", 8.5" x 14", 8.5" x 11", (60 – 90gsm)

## VACUUM FEED LARGE CAPACITY TRAY PF-9100

**Dimensions:** 41" W x 28.7" D x 39.3" H

**Weight:** 132 lbs. or Less

**Power Consumption:** Less than 860 W

**Paper Size:** A6/5.5" x 8.5" – 13" x 19.2"

**Paper Capacity:** 4,880 Sheets (2,440 Sheets per Tray)

**Paper Weight:** 75 – 360gsm

## HIGH CAPACITY STACKER ST-9100

**Dimensions:** 35.4" W x 28.7" D x 39.4" H

**Weight:**

Stacker: 264.5 lbs. or less

Rollaway Card: 33 lbs. or Less

**Power Capacity:** 5,000 Sheets; Proof Tray: 250 Sheets

**Paper Weight:** Max 360gsm

**Rollaway Cart:** Optional additional carts available

## MULTI-BYPASS TRAY PF-9110

**Paper Capacity:** 550 Sheets

**Paper Size:** A6/5.5" x 8.5" – 13" x 19.2"

**Paper Weight:** Max 216gsm

## CONSUMABLES

### INK – WATER BASED PIGMENT

**Based on ISO 24712 Image**

**Cyan:** 1300ml (Yield = 163k)

**Magenta:** 1300ml (Yield = 120k)

**Yellow:** 1300ml (Yield = 213k)

**Black:** 1300ml (Yield = 92k)

**Cyan:** 3000ml (Yield = 395k)

**Magenta:** 300ml (Yield = 296k)

**Yellow:** 3000ml (Yield = 597k)

**Black:** 3000ml (Yield = 213k)

Specifications and design are subject to change without notice. For the latest on connectivity visit [kyoceradocumentsolutions.us](http://kyoceradocumentsolutions.us). TASKalfa, PRESCRIBE, Kyocera Net Manager, Kyocera Net Viewer, Kyocera Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies. Mac OS and AirPrint are trademarks of Apple, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.



KYOCERA Document Solutions America  
225 Sand Road, PO Box 40008  
Fairfield, New Jersey 07004-0008, USA  
Tel: 973-808-8444



Kyocera Document Solutions Partner

[kyoceradocumentsolutions.us](http://kyoceradocumentsolutions.us)

Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.  
©2023 KYOCERA Document Solutions America, Inc.